



Certificate of Analysis
Compliance Test

Client Information:

NOT YOUR BAKERY
150 NW 16th St.
Boca Raton, FL 33432

Batch # J-9827
Batch Date: 2024-12-02
Extracted From: Hemp

Test Reg State: Florida

Order # NOT241216-060001
Order Date: 2024-12-16
Sample # AAGF717

Sampling Date: 2024-12-18
Lab Batch Date: 2024-12-18
Completion Date: 2024-12-23

Initial Gross Weight: 299.400 g
Net Weight: 25.400 g

Number of Units: 1
Net Weight per Unit: 6350.000 mg



Potency
Tested

Product Image

Delta 8/Delta 10 Potency 13 - (LCUV)
Specimen Weight: 1544.100 mg

Tested
SOP13.001 (LCUV)

Potency Summary

Pieces For Panel: 40

Analyte	LOD (mg/g)	LOQ (%)	Result (mg/g)	(%)
Delta-9 THC	1.30E-5	0.0015	3.110	0.311
Delta-8 THC	2.60E-5	0.0015	0.520	0.052
CBD	5.40E-5	0.0015	0.100	0.010
CBC	1.80E-5	0.0015	0.020	0.002
CBG	2.48E-4	0.0015	0.020	0.002
CBN	1.40E-5	0.0015	0.020	0.002
Delta6a10a-THC	8.47E-5	0.0015	0.020	0.002
THCV	7.00E-6	0.0015	0.020	0.002
CBDA	1.00E-5	0.0015	<LOQ	<LOQ
CBDV	6.50E-5	0.0015	<LOQ	<LOQ
CBGA	8.00E-5	0.0015	<LOQ	<LOQ
Delta-10 THC	3.00E-6	0.0015	<LOQ	<LOQ
THCA-A	3.20E-5	0.0015	<LOQ	<LOQ
Total Active CBD			0.100	0.010
Total Active THC			3.110	0.311

0.052% Total Delta 8	3.302 mg	- Total Delta 10	None Detected
0.311% Total Active THC	19.749 mg	0.010% Total Active CBD	0.635 mg
0.002% Total CBG	0.127 mg	0.002% Total CBN	0.127 mg
0.383% Total Cannabinoids	24.321 mg		

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THC = THC + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. The results apply to the sample as received.
This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.